

Message

From: Pratt, Stacie [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=8A420FD319214477BF3852662829E7DD-SPETER04]
Sent: 3/13/2017 8:32:47 PM
To: pizarro, luis [pizarro.luis@epa.gov]
Subject: RE: Momenive site

Great – Thanks.

From: pizarro, luis
Sent: Monday, March 13, 2017 4:15 PM
To: Pratt, Stacie <Pratt.Stacie@epa.gov>
Subject: FW: Momenive site

I just talked to Scott about this. He is meeting with WVDEQ and the company and will go from there to make sure they satisfy TSCA regs.

Luis A. Pizarro
Associate Director
Office of Remediation, LCD
US EPA Region 3
215 814 3444

From: Rice, Scott
Sent: Monday, March 13, 2017 4:07 PM
To: pizarro, luis <pizarro.luis@epa.gov>
Subject: Momenive site

Hey Luis , I hope all is well. Stacie said you both chatted about this site. I just wanted to let you know that Jason McDougal and John Garner both reached out to me about the PCB aspects of this site and I haven't drawn any conclusions regarding whether something needs to be done, or not. Jason sent me the Soils Management Plan for the WWTP construction that is slated to occur in an area that was previously identified as having PCB contamination. The max PCB concentration as far as I could tell was 1,700+ ppm. John then sent me an EPA Statement of Basis from around 2007 that only indicated PCBs in one part of it, (page 12 if you have the document), that indicated two sediment samples and a water sample were collected and were found to contain low (sediment in the 5 ppm range and water at 2 ppb), but they weren't a concern because the area was deemed low-occupancy. There's kind of a disconnect there since I don't think low-occupancy cleanup levels apply to sediments or water. And I didn't see anywhere else in the document where PCBs were mentioned, even though they are certainly there.

That all being said, I absolutely do not want to step on any toes. It really isn't that important to me. If this site is still being handled by Bill Wentworth (he is contact on the Statement of Basis), by all means I'm more than happy to pass the info on to him. I'm sure there is a ton of other info I haven't seen on the site (I only have Statement of Basis and Soil Management plan) and perhaps all of the PCB issues have been addressed in other documents or by other mechanisms. John Garner has reached out and would like to come to my office here in Wheeling to discuss the site and the PCB aspects. Please let me know how you would like to proceed. I'm not one for making anybody jump through more hoops than is necessary, and I would hate to "add on" to something that has already been planned or addressed.

Let me know what you think Luis. Thanks and best regards